1

2

1

2

CLAIMS

The embodiment of the invention in which an exclusive property or privilege is claimed is defined as follows:

- 1. A method for manipulating genetic material, the method comprising:
- a) disrupting cells so as to liberate genetic material contained in the cells;
- b) contacting the genetic material to a column in a manner to cause the genetic material to become immobilized to the column;
 - c) labeling the immobilized genetic material; and
 - d) eluting the labeled material from the column.
- 2. The method as recited in 1 wherein the step of labeling the genetic material further comprises maintaining the column at a temperature of between 45 $^{\circ}$ C and 100 $^{\circ}$ C.
- 3. The method as recited in claim 1 wherein the column comprises a means for subjecting the silica to pressure.
- 4. The method as recited in claim 3 wherein the pressure means is a syringe.

The process as recited in claim 8 wherein the genetic material is

1

9.

2	contacted with radical in aerobic conditions.	
1	10. The process as recited in claim 8 wherein the genetic material is con-	
2	tacted with radical in anaerobic conditions.	
1	11. The process as recited in claim 8 wherein the step of creating a	
2	fraction of cell detritus and the genetic material comprises contacting the cells with a	а
3	lysis buffer.	
1	12. The process as recited in claim 8 wherein steps a) through f) occur in	
2	approximately 20 minutes.	
	13. The process as recited in claim 8 wherein the two buffers comprise a f	first
2 1 2 1 2 2 2	buffer to lyse the cells and a second buffer to attach the genetic material to the colu	ımn
1	14. The process as recited in claim 13 wherein the first buffer and second	ı
2	buffer contain guanidine thyocianate and EDTA.	
7	15. The process as recited in claim 13 wherein the first buffer and the sec	onc
2	buffer contact the cells simultaneously.	
1	16. The process as recited in claim 8 wherein the genetic material is	
2	bound to chromophore in aerobic conditions.	
1	17. The process as recited in claim 8 wherein the genetic material is boun	d to
2	chromonhore in anaerohic conditions	

- 1 18. The process as recited in claim 13 wherein the first buffer and the second buffer are present in a relative weight ratio of 9:4.
- 1 19. The process as recited in claim 8 wherein the temperature is maintained 2 at 95 $^{\circ}$ C.